

# Programming Ruby The Pragmatic Programmers Guide.pdf

TABLE OF CONTENTS	
ACKNOWLEDGMENTS	5
LIST OF TABLES	6
1. INTRODUCTION	9
1.1 Background	9
1.2 Evolution of Missing Data Estimation Method	12
1.3 Missing Data Mechanisms	13
1.3.1 Missing Completely at Random	14
1.3.2 Missing at Random	15
1.3.3 Missing Not at Random	16
1.4 Strategies to Manage Missing Data	16
1.4.1 Case Deletion	16
1.4.2 List-Wise Deletion	17
1.4.3 Pair-Wise Deletion	18
1.4.4 Mean Substitution	20
1.4.5 Hot / Cold Deck Imputation	21
1.4.6 Linear Regression Imputation	22
1.4.7 Multiple Imputation	23
2. LITERATURE REVIEW	25
3. METHOD	26
3.1 Multiple Imputation	26
3.2 Procedure for Analysis	26
3.3 Theoretical Support/Validation for Multiple Imputation	29
3.3 Advantages and Disadvantages of Multiple Imputation	31
4. RESULTS OF MONOTONE MISSING DATA PATTERN	34
4.1 Simulation	34

## [Ruby \(programming language\) - Wikipedia](#)

Thu, 11 Oct 2018 13:19:00 GMT

Ruby is a dynamic, interpreted, reflective, object-oriented, general-purpose programming language. It was designed and developed in the mid-1990s by Yukihiro "Matz" Matsumoto in Japan.. According to the creator, Ruby was influenced by Perl, Smalltalk, Eiffel, Ada, and Lisp. It supports multiple programming paradigms, including functional, object-oriented, and imperative.

## [The Ruby Programming Language: Everything You Need to Know ...](#)

Thu, 11 Oct 2018 18:19:00 GMT

Ideas - O'Reilly Media

## [Programming Languages Books - Online computer ebooks](#)

Wed, 10 Oct 2018 23:14:00 GMT

This section contains free e-books and guides on Programming Languages, some of the resources in this section can be viewed online and some of them can be downloaded.

## [Programming E-Books - App's Apps](#)

Fri, 05 Oct 2018 10:48:00 GMT

Last updated on Monday, June 2, 2008. All of the books are slowly being migrated to our new website. If you don't see what you need here, it may have been moved already.

## [Symbol \(programming\) - Wikipedia](#)

Wed, 10 Oct 2018 05:49:00 GMT

A symbol in computer programming is a primitive data type whose instances have a unique human-readable form. Symbols can be used as identifiers. In some programming languages, they are called atoms. Uniqueness is enforced by holding them in a symbol table. The most common use of symbols by programmers is for performing language reflection (particularly for callbacks), and most common indirectly ...

**[FREE DOWNLOAD >> PROGRAMMING RUBY THE PRAGMATIC PROGRAMMERS GUIDE PDF](#)**

related documents:

[Black Freedom Fighters In Steel: The Struggle For Democratic Unionism](#)

[Black Mold: Your Health And Your Home - Paperback](#)

[Black Folktales -](#)

[Black South Africans : A Who's Who, 57 Profiles Of Natal's Leading Blacks](#)